



(19)

(11) Publication number:

08298993 A

Generated Document.

PATENT ABSTRACTS OF JAPAN

(21) Application number: **07108622**

(51) Intl. Cl.: **C12P 17/02 C07D305/14**

(22) Application date: **02.05.95**

(30) Priority:

(43) Date of application
publication: **19.11.96**

(84) Designated contracting
states:

(71) Applicant: **NIPPON STEEL CORP
NIPPON STEEL CHEM CO LTD**

(72) Inventor: **TAKAMI MASAMICHI
TAKIGAWA KENJI**

(74) Representative:

(54) **PRODUCTION OF TAXANE COMPOUND BY TISSUE CULTURE OF TAXUS PLANT**


(57) Abstract:

PURPOSE: To stably and efficiently obtain a taxane compound useful for medicines (raw materials) such as an anticancer medicine excellent for the therapy of ovarian cancer, breast cancer, and lung cancer, etc., by subjecting the tissue of a Taxus species plant to a tissue culture treatment in a culture medium having a specific iodide ion concentration.

CONSTITUTION: A method for producing a taxane compound by the tissue culture of a Taxus species plant comprises immersing the current shoot of a Taxus species plant, such as Taxus baccata, belonging to the genus Taxus in a 1% antiformin solution for 20min, cutting the surface-sterilized current shoot into pieces having a length of approximately 5mm under an aseptic condition, placing the obtained pieces on a solid culture medium containing dibberellin as a plant hormone, leaving the pieces under the conditions of darkness and 20°C for 10 days, planting the induced callus

in a liquid culture medium containing ammonium iodide in an iodide ion concentration of 0.1-10mmol/L, subjecting the planted callus to a shaking culture treatment under the conditions of the darkness and 20°C for 30 days, and subsequently extracting the product from the cultured cells and the culture medium. Thus, the objective taxane compound of the formula, etc., and useful for anticancer medicines for ovarian cancer, breast cancer, lung cancer, etc., or for a raw material therefor can stably and efficiently be obtained.

COPYRIGHT: (C)1996,JPO



The Delphion Integrated View

Buy Now: [More choices...](#)

Tools: Add to Work File: Create new Work File

Go

View: [INPADOC](#) | Jump to: TopGo to: [Derwent...](#)☒ [Email this to a friend](#)

Title: **JP8298993A2: PRODUCTION OF TAXANE COMPOUND BY TISSUE CULTURE OF TAXUS PLANT**

Country: **JP Japan**

Kind: **A**

Inventor: **TAKAMI MASAMICHI;
TAKIGAWA KENJI;**

Assignee: **NIPPON STEEL CORP
NIPPON STEEL CHEM CO LTD**
[News, Profiles, Stocks and More about this company](#)

Published / Filed: **Nov. 19, 1996 / May 2, 1995**

Application Number: **JP1995000108622**

IPC Code: **C12P 17/02; C07D 305/14; A61K 31/335; C12N 5/04; C12P 17/02;**

Priority Number: **May 2, 1995 JP1995000108622**

Abstract:


PURPOSE: To stably and efficiently obtain a taxane compound useful for medicines (raw materials) such as an anticancer medicine excellent for the therapy of ovarian cancer, breast cancer, and lung cancer, etc., by subjecting the tissue of a Taxus species plant to a tissue culture treatment in a culture medium having a specific iodide ion concentration.

CONSTITUTION: A method for producing a taxane compound by the tissue culture of a Taxus species plant comprises immersing the current shoot of a Taxus species plant, such as Taxus baccata, belonging to the genus Taxus in a 1% antiformin solution for 20min, cutting the surface-sterilized current shoot into pieces having a length of approximately 5mm under an aseptic condition, placing the obtained pieces on a solid culture medium containing dibberellin as a plant hormone, leaving the pieces under the conditions of darkness and 20°C for 10 days, planting the induced callus in a liquid culture medium containing ammonium iodide in an iodide ion concentration of 0.1-10mmol/L, subjecting the planted callus to a shaking culture treatment under the conditions of the darkness and 20°C for 30 days, and subsequently extracting the product from the cultured cells and the culture medium. Thus, the objective taxane compound of the formula, etc., and useful for anticancer medicines for ovarian cancer, breast cancer, lung cancer, etc., or for a raw material therefor can stably and efficiently be obtained.

COPYRIGHT: (C)1996,JPO


Family: **None**

Other Abstract Info: **DERABS C97-045824 DERC97-045824**



[View Image](#)

1 page



[Nominate this](#)